

~~2000 International Energy Conservation Code with Georgia Amendments;¶~~

~~¶~~
~~¶~~
~~¶~~

~~2006 International Fire Code with Georgia Amendments; ¶~~

~~I. 2006 International Residential Code with Georgia Amendments;¶~~

~~J. 1997 Georgia Accessibility Code;¶~~

~~K. 2000 Life Safety Code¶~~

1.08.02 Responsibility for Interpretations

~~C. Should the enforcement of a building or construction code listed in Section 1.07.04 create a conflict Table 1.08.02(C) shall govern the primary and supplemental enforcement of that building or construction code:¶~~

~~¶~~

Table 1.08.02(C). Code Reference Guide¶

Area*	Primary Code*	Supplement Code *
Occupancy Classification*	LSC*	IBC*
Building Construction Types ¶ Including allowable height, allowable building areas, and the requirements for sprinkler protection related to minimum building construction types.*	IBC*	LSC*
Means of Egress*	LSC*	NONE*
Standpipes*	IBC*	IFC*
Interior Finish*	LSC*	NONE*
HVAC Systems*	IMC*	NONE*
Vertical Openings*	LSC*	NONE*
Sprinkler Systems minimum construction standard*	LSC*	NONE*
Fire Alarm Systems*	LSC*	NONE*
Smoke Alarms and Smoke Detection Systems*	State Statute and LSC*	NONE*
Portable Fire Extinguishers*	IFC*	NONE*
Cooking Equipment*	LSC and NFPA 96*	NONE*
Fuel Fired Appliances*	IFGC*	NFPA 54 or IFGC*
Liquid Petroleum Gas*	NFPA 58*	NFPA 54 or