

~~shall be deemed withdrawn, and the fees, application, and materials submitted shall be returned.~~

~~L. If the **County Manager** determines that the application is complete, the application shall be processed for review and action in accordance with the procedural requirements set forth in this chapter.~~

10.01.04 Procedures for Action by the Technical Review Committee

G. Approval of combination plats

5. One (1) digital copy, ~~one (1) mylar or plastic copy, and six (6) other copies~~ shall be submitted. The ~~mylar or plastic~~digital copy will be retained by the **County Manager**.

H. Approval of exempt plats

7. One (1) ~~mylar and five (5) copies~~digital copy shall be submitted. The ~~mylar copy~~ will be retained by the **County Manager**.

10.02.02 Submittal Requirements for Subdivision Plats

B. 4. ~~Two (2) original reproducible on plastic and seven (7) blue-line prints~~A digital copy of the final plat ~~plus two (2) additional copies if located on a state route,~~ which will include the following:

- a. Sheet Design: The final plat shall conform to the requirements for a preliminary plat, and shall be drawn consistent with the State of Georgia Platting Act ~~on one (1) or more sheets of mylar or plastic film.~~ When two (2) or more sheets are used, a key map shall be shown on each sheet. ~~There shall be a two (2) inch margin on the left end of the plat and a one-half (1/2) inch margin on the remaining three (3) sides.~~
- e. Approvals: The following spaces shall be provided in the form shown below for all agencies having jurisdiction. The placement on the plat may vary.

Approved by **Board of Health**, Lowndes County, Georgia.

Date _____ Signed _____

Board of Health Representative

Approved by County Engineer, Lowndes County, Georgia.

Date _____ Signed _____

County Engineer